



KX 2
Portable electric fan heater

KX 2

Electric fan heater for temporary heating

The KX 2 is a compact and convenient fan heater capable of quickly warming up fairly small areas such as caravans, summer cottages and garages.

- Powerful: 2000 W
- Thermostat and 0-1-2 kW output selector
- Self-limiting ceramic PTC element
- Carrier handle - easy to move
- Two metre power supply cable

Design

The casing is made of galvanized sheet steel painted red. Degree of protection IP21 (drip-proof). If used outdoors, the KX 2 must be installed under cover.

Control

The KX 2 operates with a self-limiting PTC element and low air flow rate. This results in very intensive heat, since the air temperature rises by about 65°C as the air flows through the KX 2.

The fan heater is equipped with a +5°C to +35°C thermostat and a 0-1-2 kW selector switch.

Connections

The KX 2 is equipped with a two metre long power supply cable with earthed plug.



Approvals

The fan heaters have been tested and approved by SEMKO in accordance with:
 LVD Directive: EN 60335-1, EN 60335-2-30 and EN 50366
 EMC Directive: EN 61000-3-2, EN 61000-3-3, EN 55014-1 and EN 55014-2
 EMF Directive: EN 50366



Technical data

		KX 2
Power supply	V	230V~
Output	kW	2
Output steps	kW	0-1-2
Current	A	4.4 / 8.8
Sound level ¹⁾	dBA	43
Air flow rate	m ³ /h	ca 90
Air temp. rise through heater	°C	ca 65
Degree of protection		IP21
Weight	kg	2.4
Width × Height × Depth	mm	155 × 220 × 190

¹⁾ Measured at a distance of 5 metres in front of the unit.





VEAB Heat Tech AB
Phone: +46(0)451-485 00 • Fax: +46(0)451-410 80
www.veab.com • veab@veab.com
Sweden